

SAHUNG



TXD

Hangzhou shanghong electronic technology Co.,ltd

Room 504, Building 10, No. 202 Zhenzhong Road, Xihu District, Hangzhou City, Zhejiang Province



Website



Alibaba



Made in china

Product Introduction

- 50W/100W/150W/200W/250W
- Seiko aluminum shell, surface oxidation spray treatment, corrosion resistance.
- Compatible with hanging chain, ceiling installation.
- IP65/IK08.
- Design of Optical PC Lens: 60°/90°.
- Linear module design, heat dissipation holes on both sides, effectively play the heat dissipation performance of lamps and lanterns
- Warranty: 3 ~ 5years

Applicable:

Meet the factory, warehouse, high shed, industrial lighting and other lighting places.



LED LINEAR HIGH BAY LIGHT

TXD

Model	TXD-50W	TXD-100W	TXD-150W	TXD-200W	TXD-250W
Rated Power	50W	100W	150W	200W	240W
Input Voltage (V)	100~277Vac				
Work Frequency	50/60Hz				
Input Current (A)	0.42A@ 120Vac, 0.22A@230Vac	0.85A@ 120Vac, 0.45A@230Vac	1.25A@ 120Vac, 0.7A@230Vac	1.7A@ 120Vac, 0.9A@230Vac	2A@ 120Vac, 1.05A@230Vac
Power Factor	PF>0.95				
LED Driver	MOSO/SAHUNG				
Surge Resistance	L-N 4KV, L/N-PE 6KV				
Total Harmonic	≤15%				
LED Chips	CREE /OSRAM /LUMILEDS-SMD				
Beam Angle	60°/90°				
Color Temperature	2700K-6500K				
CRI	≥70Ra≥80Ra				
Condition Temp	-25°-50°				
IK	IK08				
IP	IP65				
Luminous Efficiency	140Lm/W				
N.W/G.W (KG)					
Packing Size					

1. This product must be installed by a qualified person.
2. The external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.
3. For models Zhaga series, the light source contained in this luminaire is non-user replaceable, it shall be replaced by our service agent or a qualified person only.




4.  Caution, risk of electric shock.

When open the luminaire to replace the LED module, please ensure the power have been cut off.

5. This product is class I luminaire, please ensure the earthing wire is connected to the terminal reliably.
6. This product is classified to IP65, which means 'dust tight' and 'jetproof'. It is suitable for outdoor use.
7. Don't touch the luminaire until it has been cool down.

8.  Meaning of crossed out wheeled dustbin: Do not dispose of electrical appliances as unsorted municipal waste, use separate collection facilities contact your local government for information regarding the collection systems available. If electrical appliances are disposed of in landfills or dumps, hazardous substances can leak into the ground and water then get into the food chain, damaging your health and well-being.

Product size

**50W****100W****150W****200W****250W**